

CE EN FDA & ISO CERTIFIED



*LASER S.O.S. GROUP*

LASER PROTECTIVE EYEWEAR 2021



# CONTENTS

4	DISPOSABLE EYE SHIELDS OD7 @190-11,000nm
5	DISPOSABLE LASER EYE PROTECTORS
6	200 - 1400nm VLT 16.2% ± 5%
7	OD4+ 800 - 1700nm DIR LB4 VLT 40% OD5+ 900 - 1100nm
8	OD7+ 740 - 1100nm DIR LB5 VLT 40% OD7+ 800 - 1070nm
9	OD5+ 740 - 850nm DIR LB5 VLT 45% OD6+ 780 - 830nm
10	OD6+ 9000 - 11000nm DI LB3 VLT 90%
11	OD6+ 600 - 700nm DIR LB5 VLT 30%
12	OD2+ 630 - 660nm DIR LB2 VLT 35% OD5+ 800 - 1100nm
13	OD4+ 600 - 700nm DIR LB4 VLT 50%
14	OD3+ 630 - 660nm DIR LB3 VLT 30% OD5+ 800 - 830nm
15	OD6+ 200 - 540nm DIR LB5 VLT 30% OD5+ 900 - 1100nm
16	OD7+ 200 - 540nm DIR LB6 VLT 30%
17	OD4+ 585-595nm
18	200 - 1400nm VLT 10%
19	OD10 190 - 1100nm
20	OD10 190 - 1100nm





## LASER & IPL DISPOSABLE EYE SHIELDS

### DESCRIPTION

These disposable IPL & Laser eyeshields provide full patient eye protection from intense pulse light (IPL) devices and from coherent laser wavelengths between 190nm -11,000nm at an optical density greater than 7 (OD 7@ 190-11,000nm).

The eyeshields are simple and quick to use latex free and hypoallergenic. They remain safely in position during the procedure and a convenient tab allows for painless removal. The eyeshields allow for full access to temples, eyebrows and nose.

The IPL eyeshields are supplied in packs of 50 pairs and the laser eyeshield in pairs of 24.

Part numbers

# EYESHIELDIPL (IPL)

# EYESHIELDLAS (LASER)

## DISPOSABLE LASER EYE PROTECTORS TOTAL PROTECTION GUARANTEED MAXIMUM HYGIENE & PROTECTION



## i-SHIELDS

### DESCRIPTION

The i-SHIELDS are produced from high density polycarbonate which are metal coated. The i-SHIELDS are designed to guarantee eye protection for any type of laser or IPL treatment.

The i-SHIELDS are unique, they had been specifically designed for individual use which provide a safer and more hygienic protection against possible infections. The i-SHIELDS are semi-disposable and should be discarded after 10-15 treatments the i-SHIELDS are produced in Europe and sold in single pieces and boxes of 45 pieces

Part numbers

- # i-SHIELDS - Single Piece
- # i-SHIELDBOX - Box of 45 Pieces

*LASER S.O.S.*

CE EN166  
CE EN169  
CE EN175

UNIVERSAL FIT COMFORTABLE OVER  
PRESCRIPTION GLASSES OR ALONE

SPEC. 5X7.011130 IPL



200 - 1400nm VLT 16.2%  $\pm$  5%

UNIVERSAL WRAPAROUND STYLE  
SLEEK, LOW PROFILE FIT

SPEC. 5X3.033530 IPL



200 - 1400nm VLT 16.2%  $\pm$  5%

UNIVERSAL FIT COMFORTABLE OVER  
PRESCRIPTION GLASSES OR ALONE

SPEC. 33.808.1470



OD4+ 800 - 1700nm DIR LB4 VLT 40% OD5+ 900 - 1100nm

UNIVERSAL WRAPAROUND STYLE  
SLEEK, LOW PROFILE FIT

SPEC. 55.808.1470



OD4+ 800 - 1700nm DIR LB4 VLT 40% OD5+ 900 - 1100nm

UNIVERSAL FIT COMFORTABLE OVER  
PRESCRIPTION GLASSES OR ALONE

SPEC. 33.755.1064



OD7+ 740 - 1100nm DIR LB5 VLT 40% OD7+ 800 - 1070nm

UNIVERSAL WRAPAROUND STYLE  
SLEEK, LOW PROFILE FIT

SPEC. 55.755.1064



OD7+ 740 - 1100nm DIR LB5 VLT 40% OD7+ 800 - 1070nm



UNIVERSAL FIT COMFORTABLE OVER  
PRESCRIPTION GLASSES OR ALONE

SPEC. 33.755.808



OD5+ 740 - 850nm DIR LB5 VLT 45% OD6+ 780 - 830nm

UNIVERSAL WRAPAROUND STYLE  
SLEEK, LOW PROFILE FIT

SPEC. 55.755.808



OD5+ 740 - 850nm DIR LB5 VLT 45% OD6+ 780 - 830nm

UNIVERSAL FIT COMFORTABLE OVER  
PRESCRIPTION GLASSES OR ALONE

SPEC. 33.10600



OD6+ 9000 - 11000nm DI LB3 VLT 90%

UNIVERSAL WRAPAROUND STYLE  
SLEEK, LOW PROFILE FIT

SPEC. 55.10600



OD6+ 9000 - 11000nm DI LB3 VLT 90%

UNIVERSAL FIT COMFORTABLE OVER  
PRESCRIPTION GLASSES OR ALONE

SPEC. 33.635.694



OD6+ 600 - 700nm DIR LB5 VLT 30%

UNIVERSAL WRAPAROUND STYLE  
SLEEK, LOW PROFILE FIT

SPEC. 55.635.694



OD6+ 600 - 700nm DIR LB5 VLT 30%

UNIVERSAL FIT COMFORTABLE OVER  
PRESCRIPTION GLASSES OR ALONE

SPEC. 33.635.980



OD2+ 630 - 660nm DIR LB2 VLT 35% OD5+ 800 - 1100nm

UNIVERSAL WRAPAROUND STYLE  
SLEEK, LOW PROFILE FIT

SPEC. 55.635.980



OD2+ 630 - 660nm DIR LB2 VLT 35% OD5+ 800 - 1100nm

UNIVERSAL FIT COMFORTABLE OVER  
PRESCRIPTION GLASSES OR ALONE

SPEC. 33.635.694



OD4+ 600 - 700nm DIR LB4 VLT 50%

UNIVERSAL WRAPAROUND STYLE  
SLEEK, LOW PROFILE FIT

SPEC. 55.635.694



OD4+ 600 - 700nm DIR LB4 VLT 50%

UNIVERSAL FIT COMFORTABLE OVER  
PRESCRIPTION GLASSES OR ALONE

SPEC. 33.635.808



OD3+ 630 - 660nm DIR LB3 VLT 30% OD5+ 800 - 830nm

UNIVERSAL WRAPAROUND STYLE  
SLEEK, LOW PROFILE FIT

SPEC. 55.635.808



OD3+ 630 - 660nm DIR LB3 VLT 30% OD5+ 800 - 830nm

UNIVERSAL FIT COMFORTABLE OVER  
PRESCRIPTION GLASSES OR ALONE

SPEC. 33.532.1064



OD6+ 200 - 540nm DIR LB5 VLT 30% OD5+ 900 - 1100nm

UNIVERSAL WRAPAROUND STYLE  
SLEEK, LOW PROFILE FIT

SPEC. 55.532.1064



OD6+ 200 - 540nm DIR LB5 VLT 30% OD5+ 900 - 1100nm

UNIVERSAL FIT COMFORTABLE OVER  
PRESCRIPTION GLASSES OR ALONE

SPEC. 33.266.532



OD7+ 200 - 540nm DIR LB6 VLT 30%

UNIVERSAL WRAPAROUND STYLE  
SLEEK, LOW PROFILE FIT

SPEC. 55.266.532



OD7+ 200 - 540nm DIR LB6 VLT 30%



UNIVERSAL FIT COMFORTABLE OVER  
PRESCRIPTION GLASSES OR ALONE

SPEC. 33.585.595



OD4+ 585 - 595nm DIR LB4 VLT 30%

UNIVERSAL WRAPAROUND STYLE  
SLEEK, LOW PROFILE FIT

SPEC. 55.755.1064



OD4+ 585 - 595nm DIR LB4 VLT 30%

UNIVERSAL FIT COMFORTABLE OVER  
PRESCRIPTION GLASSES OR ALONE

SPEC. 33.200.1400



200 - 1400nm VLT 10%

UNIVERSAL WRAPAROUND STYLE  
SLEEK, LOW PROFILE FIT

SPEC. 55.200.1400



200 - 1400nm VLT 10%

PATIENT CARE WHITE ALUMINIUM  
EYESHIELD.616L





OD10 190 - 1100nm

PATIENT CARE GRAY STAINLESS STEEL  
EYESHIELD.617L



OD10 190 - 1100nm





# *LASER S.O.S. GROUP*

Laser SOS Ltd

Unit 3 Burrell Road, St. Ives, Cambs PE27 3LE, United Kingdom

**Tel:** +44 (0) 1480 460990

**Fax:** +44 (0) 1480 469978

**Email:** [sales@lasersos.com](mailto:sales@lasersos.com)

**Web:** [www.lasersos.com](http://www.lasersos.com)